



Recommended P.C.B Layout(Top Side)
(PCB BOARD TOLERANCE±0.05)




PART NUMBER CODING

BHFR08-XX XX 1 X X 1

- | | | | |
|----------------------|---|---|--|
| No. of Pins
6-64P | Contact Plating
G0:Gold Flash
G1:3U*Gold
G2:5U*Gold
G3:10U*Gold
G4:15U*Gold
G5:20U*Gold
G6:30U*Gold
S0:Gold Flash/Tin
S1:3U*Gold/Tin
S2:5U*Gold/Tin
S3:10U*Gold/Tin
S4:15U*Gold/Tin
S5:20U*Gold/Tin
S6:30U*Gold/Tin
SN:Tin | Material/Color
A:PBT/Black
B:PA9T/Black
C:PA6T/Black | Packing
A:Tray
B:PE Bag
T:Tube
R:Tape&Reel |
|----------------------|---|---|--|

PIN	NOTCH
6~8P	--
10P	C
14~64P	ACDE



Tel:+86 769 82581808 FAX:+86 769 81766192
E-Mail:sales@winpin.net Http:www.winpin.net

PART NO: BHFR08-XXXX1XX1

TITLE: 2.54mm Box Header 90° H=9.91

NOTES:
Current Rating:3.0AMP
Withstand Voltage:500V AC/DC
Contact Resistance:20mΩ Max
Insulation Resistance:1000MΩ Min
Operation Temperature:-40°C to +105°C

MATERIAL:
Contact Material:Brass
Contact Plating:Au or Sn over Ni
Insulator Material:PBT/PA6T/PA9T+30%GF
(UL94V-0)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN METRIC TOLERANCES ARE:
DECIMALS Angle
X.X:±0.40 ± 3°
X.XX:±0.25
X.XXX:±0.15

SCALE	1:1
UNIT	MM
PROJ.	
SHEET	

A0	2021/12/13	NEW	GF.He	Andy	
REV	DATE	MODIFICATION DESCRIPTIO	DRAW	CHANGE	APPROVE